

# Nu

Jordi Henrich Olga Tarrasó , 1991

ALIGNED OR AS INDEPENDENT UNITS, THE NU BENCH GENERATES COMFORTABLE RESTING SPACES AND ORDERS THE URBAN SPACE



- Linear compositions
- Robust and proportioned
- Versatile
- Adaptable

Project Royal Victoria Square (London)



## Nu bench

Large platform formed by wooden slats resting on a robust galvanized steel structure which in turn, if required, supports a metal or wooden backrest. The Nu bench is a classic of the new town planning which allows different

compositions to be generated: aligned or single, it generates comfortable resting spaces and orders the urban space. All the models can incorporate armrests.

## Materials and finishes

### • Legs

Galvanized steel structure or with plastic coating in light or dark grey (enquire for other colours), composed of round tube legs, a round disk base and longitudinal brace welded to the upper part of the legs.

### • Seat, slats and backrest

Seat manufactured with slats of tropical wood with FSC pure certificate with oil in two components, and/or red pine wood treated in the autoclave, composed of 7 slats for the model with backrest and 8 slats for the model without backrest.

In the models with wooden backrest, the latter is composed of 4 slats of tropical wood with FSC pure certificate with oil in two components, and/or red pine wood treated in the autoclave.

Lengths available: 1.34m and 2.58 m.

In the models with metal backrest, the latter is in perforated sheet.

### • Woods

The tropical wood with FSC certification comes from Africa and Central America.

This wood is obtained strictly complying with all the legal and environmental regulations of the country of origin, controlling the chain of custody, ensuring the sustainability of the woods and minimizing the environmental impact. The wood does not come from primary forests.

With the aim of protecting the surface of the wooden slats, Santa & Cole applies an oil in two components which acts as a dual-layer protection especially formulated for the long-lasting treatment of outdoor elements.

Main attributes:

- Conservation of the natural appearance and touch of the wood.
- Good penetration of the colour pigments thanks to nanotechnology.
- Long-lasting molecular action of the second layer.
- Fungicidal action, breathable and water-repellent material.
- High protection against the effects of UVA rays and heat-resistant.
- Prevention against colour loss and surface scaling.
- Fast drying, ideal for industrial handling.

• 100% free of volatile organic compounds and without isocyanate.

The red pine wood comes from the central area of Sweden. This wood has classification V in the General Rules for the Classification of Swedish Sawed Red Pine and Fir Timber established by the 1958 Committee for the classification of Timber. This wood is obtained complying with all the legal and environmental regulations of the country of origin, ensuring the sustainability of the woods and avoiding the environmental impact. This wood does not come from primary forests

With the aim of protecting red pine wood in the face of risk classes 1 to 4 described in standard EN 335-1-92 and EN 335-92, an autoclave treatment is applied.

All the fastening bolts of the slats are in steel with anti-rust protection.

## Maintenance

Does not require functional maintenance unless it is desired to conserve the original colour of the wood.

## Pesos

**Nu Bench 2.58m without backrest, red pine wood / tropical wood:** 34 Kg / 45 Kg.

**Nu Bench 2.58m with short backrest, red pine wood / tropical wood:** 51 Kg / 69 Kg.

**Nu Bench 2.58m with long backrest, red pine wood / tropical wood:** 58 Kg / 83 Kg.

**Nu Bench 3.70m without backrest, red pine wood / tropical wood:** 53 Kg / 69 Kg.

**Nu Bench 3.70m with metal backrest, red pine wood / tropical wood:** 103 Kg / 119 Kg.


**Nu Bench 3.70m with backrest, pine / tropical wood:** 79 Kg / 109 Kg.

## Installation

The bench is fixed to the paving with 2 stainless steel screws for each of the two legs.

The bench is delivered dismantled in two or three parts depending on the model, unless specified otherwise.

The bench is delivered with assembly instructions.



# Modelos

