

Sizes in cm







 (with Arne luminaire)

Code: single arm ARP01 / double arm ARP01D


Accessory allowing one or two luminaires to be affixed to a broad range of poles at the same height. The system allows the free rotation of the luminaire.

Materials: Steel arm. Stainless steel attachment bracket. Powder-coated finishes.

Powder-coated finish aluminium injection fastening and gear assembly parts.

Stainless steel screws.

Finishes:



Light grey (RAL 9006)
 (Other colours available to order)



Dark grey (RAL 7024)

Size (cm):

47 x 11 x 4 (single arm)

87 x 11 x 8 (double arm)

Weight (kg):

4.5 (single arm)

8.5 (double arm)

Arne
Pole attachment (single and double)



Santa & Cole Urbidermis Team. 2013

SANTA & COLE
urbidermis

Installation: Suitable for pole attachment by means of a fastening accessory. The component is delivered disassembled. The component can be combined with the Arne floodlight product range.
(For further information log onto the website urbidermis.com).

*Luminaire not included

For calculation in ground type II (according to UNE-40) and wind speed of 29 m/s, with soil formed by loose or wet dirt or sand of medium compactness ($E_0 = 4800 \text{ KN/m}^2$), with HM-20 concrete. Non-binding information. We advise to carry out checks for each situation.




Sizes in cm

CE RoHS UL IP 66 IK 08 (with Arne luminaire)

Code: single multiple pole attachment ARP07 + ARP08 / double multiple pole attachment ARP07D + ARP08
Accessory allowing between two (single) to four (double) luminaires to be affixed to a broad range of poles at the same height (up to Ø127 mm). The multiple pole attachment is ideal for lighting road areas using an asymmetrical Arne luminaire.

Materials: Steel arm and stainless steel attachment bracket. Powder-coated finishes.
Powder-coated finish aluminium injection fastening parts.
Stainless steel screws with a powder-coated finish.

Finishes:



Light grey (RAL 9006)
(other colours available to order)



Dark grey (RAL 7024)

Size (cm):

100 x 5 x 36 (single multiple pole)
185 x 5 x 36 (double multiple pole)

Weight (kg):

4.5 (single multiple pole)
8.5 (double multiple pole)

Arne
Multiple pole attachment (single and double)

Santa & Cole Urbidermis Team. 2013

SANTA & COLE
urbidermis

Installation: Suitable for pole attachment by means of a fastening accessory.

The component is delivered disassembled. The component can be combined with the Arne floodlight product range.

(For further information about Arne floodlight, log onto the website urbidermis.com).

*Luminaire not included

For calculation in ground type II (according to UNE-40) and wind speed of 29 m/s, with soil formed by loose or wet dirt or sand of medium compactness ($E_0 = 4800 \text{ KN/m}^2$), with HM-20 concrete. Non-binding information. We advise to carry out checks for each situation.
