NeoRomántico Clásico

Miguel Milá, *1995*

SOBER, ELEGANT AND COMFORTABLE BENCH, MANUFACTURED WITH HIGH-QUALITY FSC CERTIFIED WOOD. AN ICON OF URBAN DESIGN BY ONE OF THE PIONEERS OF DESIGN IN SPAIN

1 | Ergonomic

2 | Long-lasting wood with FSC certificate

3 | Models 60, 175 and 300 cm long

4 | Easy to assemble and dismantle



FSC tropical wood



Pine wood

NeoRomántico Clásico Bench

An update and optimization of the classic barcelona Romántico bench with wooden and cast slats. Its meticulous ergonomics and elegant and sober appearance have made it a widely copied best-seller.

The NeoRomántico Clásico bench is composed of three basic pieces which are combined to generate a bench designed to guarantee maximum ergonomics. Two cast aluminium structures support seven slats of wood, two curved and five straight, which are arranged in an aligned manner to generate a seat and a robust and comfortable backrest.

Materials and finishes

· Legs
AG3 cast aluminium structure with sandblasted and anodized finish.

· Slats tropical wood with FSC certificate or Red Pine
Seat and backrest formed by 30 mm-thick solid wood slats of variable lengths, in tropical wood with FSC pure certificate treated with oil in two components, or in red pine treated in the autoclave.

The FSC certified tropical wood comes from Africa or Central America.
This wood is obtained complying with all the legal and environmental regulations of the country of origin, controlling the chain of custody, ensuring the sustainability of the woods and minimizing the environmental impact. The wood does not come from primary forests.
To protect the surface of the slats, we use an oil in two components. This is a dual-layer protection especially formulated for the long-lasting treatment of wooden elements for outdoors.
Its main attributes are:
· Conservation of the natural appearance and touch of the wood.
· Good penetration of the colour pigments thanks to nanotechnology.
· Long-lasting molecular action of the oil of the second layer.
· Powerful fungicide, breathable and water-repellent material.
· High protection against the effect of UVA rays and heat-resistant.
· Prevention against colour loss and surface scaling.
· Fast drying, ideal for industrial handling.
· It is an environment-friendly product, 100% free of volatile organic compounds and without isocyanate.
The Red Pine wood comes from the central area of Sweden. This wood has classification V in the General Rules for the Classification of Swedish Sawn Red Pine and Fir Timber established by the 1958 Committee for the classification of Timber. This wood is obtained complying with all the legal and environmental regulations of the country of origin, ensuring the sustainability of the woods and avoiding the environmental impact. This wood does not come from primary forests
With the aim of protecting red pine wood in the face of risk classes 1 to 4 described in standard EN 335-1-92 and EN 335-92, an autoclave treatment is applied.

All the fastening bolts of the slats are in steel with anti-rust protection.

Maintenance

Does not require functional maintenance unless it is desired to conserve the original colour of the wood.

Weights

Pine wood:
0,60 m: 26Kg
1,75 m: 38 Kg
3,00 m: 46 Kg

Tropical wood:
0,60 m: 32Kg
1,75 m: 57 Kg
3,00 m: 74 Kg

Installation

The fastening is carried out with two anti-rust treated steel bolts per leg introduced into holes previously made in the paving and filled with epoxy resin, fast-drying cement or similar. The wooden benches are delivered assembled. The fastening bolts and the assembly instructions are enclosed with the benches.

Models

The NeoRomántico Clásico benches are manufactured in three standard sizes: 0.60m and 1.75m with two structures and 3.00m with three structures.





IT IS FORMED BY THREE BASIC PIECES WHICH ARE COMBINED TO GENERATE A BENCH DESIGNED TO GUARANTEE MAXIMUM ERGONOMICS