

Harpo

Gonzalo Milá, Miguel Milá
2015

The table from the Harpo family of benches, chairs and banquettes, dressed in FSC®-certified wooden slats in two sizes and is designed for outdoor spaces where furniture is required for leisure.

Mesa de la familia de bancos, sillas y banquetas Harpo. Se presenta vestida con listones de madera FSC® en dos tamaños y ha sido diseñada para espacios exteriores donde se requiera mobiliario para el ocio.



Materials and finishes

The table structure is made of rectangular steel plate finished with anti-rust protection and powder painted.

The 8 slats measure 90 x 30 mm and come in two lengths: 1.75 and 3.00 m. They can be made of:

- Solid tropical FSC®-certified wood protected with one-coat oil.
- FSC® certified Robinia wood protected with one-coat oil.
- Extruded recycled and recyclable aluminium, anodised finish.

Installation

The table is attached to the ground by anti-rust treated steel bolts on every leg which are placed in holes drilled into the road surface and filled with epoxy resin, quick-setting cement or similar.

The table is delivered in two parts: the leg structure with two brackets and two crossbeams, and the top. Anchor bolts, screws and assembly instructions included.

Maintenance

No functional maintenance is required, except to preserve original wood colour.

Weight

- Tropical wood 1.75 m: 82 kg.
- Tropical wood 3.00 m: 120 kg.
- Robinia wood 1,75 m: 78 kg
- Robinia wood 3,00 m: 110 kg
- Aluminium 1.75 m: 76 kg.
- Aluminium 3.00 m: 106 kg.

Materiales y acabados

La estructura de la table est composée de tubes rectangulaires d'acier avec protection anti oxydante et peinture poudre.

Los 8 listones de la mesa de 90 x 30 mm de sección y dos longitudes, 1,75 y 3,00 metros, pueden ser de:

- Madera maciza tropical con certificación FSC® protegida con aceite monocapa.
- Madera de Robinia con certificación FSC® protegida con aceite monocapa.
- Extrusión de aluminio reciclado y reciclable, acabada anodizada.

Instalación

El anclaje se realiza mediante un perno de acero por pata tratados con protección antioxidante que se introducen en los orificios previamente realizados en el pavimento y rellenos con resina epoxi, cemento rápido o similar. La mesa se entrega desmontada, por un lado la estructura con dos soportes y dos travesaños, y por otro el sobre. La mesa se entrega con los pernos de anclaje, la tornillería y las instrucciones de montaje.

Mantenimiento

No requiere mantenimiento funcional salvo que se desee conservar el color original de la madera.

Peso

- Madera tropical 1,75 m: 82 kg.
- Madera tropical 3,00 m: 120 kg.
- Madera robinia 1,75 m: 78 kg
- Madera robinia 3,00 m: 110 kg
- Aluminio 1,75 m: 76 kg.
- Aluminio 3,00 m: 106 kg.

Slats Listones

Tropical wood (FSC) / Madera tropical (FSC)



Oil / Aceite

European Robinia wood (FSC) / Madera Robinia europea (FSC)



Oil / Aceite

Aluminium extrusion / Extrusión aluminio



Anodised / Anodizado

Structure
Estructura

Steel / Acero



Painted / Pintado
RAL 9006

Steel / Acero




Painted / Pintado
RAL 7024

FSC Certified wood
Madera con Certificado FSC



ADA Compliance
ADA Compliance





Sizes in cm
Cotas en cm

