
M64

Miguel Milá. 1964
Pendant lamps




Canopies

Model A (Integrated LED)









Only European market

Model B (LED bulb)



European market



American market

M64
Integrated LED




A

M64
LED Bulb



B


Lampshades







Painted aluminum exterior: glossy / interior: matte white



















Awarded with the Gold Delta in 1964, this lamp designed by Miguel Milá signaled the start of the recognition of Spanish design as a professional discipline. On the occasion of the fiftieth anniversary of this milestone, Santa & Cole reintroduced it into its catalogue and adapted it for the HeadLED System (Delta de Oro, 2013), providing it with the best light efficiency and quality.

In 2023, Santa & Cole commissioned Barcelona-based colourist and artist Claudia Valsells for a chromatic study of this lamp. The collaboration concludes in a combination of eight colors: reddish orange, british racing green, soft stone, cream yellow and ultramarine blue, along with the classics pure red, off-white and deep black. This palette reveals a new visual and emotional perception of the M64 and scheme keeps demonstrating the timelessness of Miguel Milá's designs.

General description:
10 lampshade options: polished brass, polished aluminum, and 8 painted aluminum finishes (glossy exterior and matte white interior): pure red, off white, deep black, reddish orange, british racing green, soft stone, cream yellow and ultramarine blue.


(A) M64 Integrated LED
Capsule with LED module, translucent diffuser and heat sink with black matte finish.
5 metal circular canopy options with power supply incorporated:
Not dimmable (European version): white recessed or white or black surface-mounted canopy with matte finish.
Dimmable (1-10 V / DALI): white or black surface-mounted canopy with matte finish.
S&C LED capsule suitable with HeadLed System lampshades.
Suitable for Junction Box (American version).
Electric cable length: 3 m / 118.1 - 8 m / 315"

(B) M64 LED Bulb
Black metal circular canopy with matte finish (European version).
Black metal canopy cover with matte finish (American version).
Suitable for Junction Box.
Electric cable length: 3 m / 118.1

Approximate weight (unpacked):
(A) M64 Integrated LED
Weight with brass lampshade: 1,35 kg / 2.98 lb
Weight with aluminum lampshade: 1 kg / 2.2 lb

(B) M64 LED Bulb
Weight with brass lampshade: 1,35 kg / 2.98 lb
Weight with aluminum lampshade: 1 kg / 2.2 lb

Technical information:
(A) M64 Integrated LED
Light source included
Capsule with LED module



Not dimmable (European version):
Power: 3,7 W
Operating current: 350 mA
CCT: 2.700 K
CRI: 90
Lifetime: 40.000 h
Luminous flux: 416 lm

Dimmable:
Power: 7,7 W
Operating current: 700 mA
CCT: 2.700 K
CRI: 90
Lifetime: 40.000 h
Luminous flux: 752 lm

European version: suitable for dimming 1-10V / DALI.Not included external dimmer switch 1-10V / DALI.
American version: suitable for dimming 1-10V. Not included external dimmer switch 1-10V.
Suitable only for indoor use.
Always use this light source.

Input voltaje : 90 ~ 305 Vac.
(50 Hz / 60 Hz). According to destination.

LOR with lampshade:
- Polished brass: 68%
- Polished aluminum: 63%
- Painted aluminum: 69%

(B) M64 LED Bulb
European version: Light source included
American version: Recommended light source (not included)
LED bulb: 3,4 W / 470 lm / 2700 K
E27 - E26 / Max. hgt. 130 mm / 5.1”
Maximum bulb diameter: 70 mm / 2.7”

Suitable only for indoor use.
Always use the light source recommended or equivalent.

Input voltage: 100, 120, 230 Vac.
(50 Hz / 60 Hz). According to destination

Regulations:
(A) M64 Integrated LED
European version
UNE-EN 60598
UNE-EN 55015
UNE-EN 60529
UNE-EN 62031
UNE-EN 61000-3-2
UNE-EN 61347-2-13

American version
Dry location only
UL-1598
UL-8750
E-33677

(B) M64 LED Bulb
European version
UNE-EN 60598
UNE-EN 55015
UNE-EN 60529

American version
Dry location only
UL-1598
E-33677

Maintenance:
Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.


Others:
The lamp is delivered in different packages.
The assembly instructions are delivered with the product.

Models / Codes: European Version


CE

(A) M64 Integrated LED


Surface canopy



Built-in canopy



(B) M64 LED Bulb



Models / Codes: European Version

CE

(A) M64 Integrated LED

LED capsule with electric black cable

Lampshade: Polished aluminum							Code
Surface canopy						Built-in canopy	
Not dimmable		Dimmable 1-10V		Dimmable DALI		Not dimmable	
Black	White	Black	White	Black	White	White	
3 m / 118.1”							M64PA21
8 m / 315”							M64PA22
	3 m / 118.1”						M64PA23
	8 m / 315”						M64PA24
		3 m / 118.1”					M64PA25
		8 m / 315”					M64PA26
			3 m / 118.1”				M64PA27
			8 m / 315”				M64PA28
				3 m / 118.1”			M64PA25D
				8 m / 315”			M64PA26D
					3 m / 118.1”		M64PA27D
					8 m / 315”		M64PA28D
						3 m / 118.1”	M64PA29
						8 m / 315”	M64PA30

LED capsule with electric black cable

Lampshade: Polished brass							Code
Surface canopy						Built-in canopy	
Not dimmable		Dimmable 1-10V		Dimmable DALI		Not dimmable	
Black	White	Black	White	Black	White	White	
3 m / 118.1”							M64PA41
8 m / 315”							M64PA42
	3 m / 118.1”						M64PA43
	8 m / 315”						M64PA44
		3 m / 118.1”					M64PA45
		8 m / 315”					M64PA46
			3 m / 118.1”				M64PA47
			8 m / 315”				M64PA48
				3 m / 118.1”			M64PA45D
				8 m / 315”			M64PA46D
					3 m / 118.1”		M64PA47D
					8 m / 315”		M64PA48D
						3 m / 118.1”	M64PA49
						8 m / 315”	M64PA50

Models / Codes: European Version

CE

(A) M64 Integrated LED

LED capsule with electric black cable

Aluminum lampshade: Glossy pure red exterior, matte white interior							Code
Surface canopy						Built-in canopy	
Not dimmable		Dimmable 1-10V		Dimmable DALI		Not dimmable	
Black	White	Black	White	Black	White	White	
3 m / 118.1”							M64PA91
8 m / 315”							M64PA92
	3 m / 118.1”						M64PA93
	8 m / 315”						M64PA94
		3 m / 118.1”					M64PA95
		8 m / 315”					M64PA96
			3 m / 118.1”				M64PA97
			8 m / 315”				M64PA98
				3 m / 118.1”			M64PA95D
				8 m / 315”			M64PA96D
					3 m / 118.1”		M64PA97D
					8 m / 315”		M64PA98D
						3 m / 118.1”	M64PA99
						8 m / 315”	M64PA100

LED capsule with electric black cable

Aluminum lampshade: Glossy off white exterior, matte white interior							Code
Surface canopy						Built-in canopy	
Not dimmable		Dimmable 1-10V		Dimmable DALI		Not dimmable	
Black	White	Black	White	Black	White	White	
3 m / 118.1”							M64PA51
8 m / 315”							M64PA52
	3 m / 118.1”						M64PA53
	8 m / 315”						M64PA54
		3 m / 118.1”					M64PA55
		8 m / 315”					M64PA56
			3 m / 118.1”				M64PA57
			8 m / 315”				M64PA58
				3 m / 118.1”			M64PA55D
				8 m / 315”			M64PA56D
					3 m / 118.1”		M64PA57D
					8 m / 315”		M64PA58D
						3 m / 118.1”	M64PA59
						8 m / 315”	M64PA60

Models / Codes: European Version

CE

(A) M64 Integrated LED

LED capsule with electric black cable

Aluminum lampshade: Glossy deep black exterior, matte white interior							Code
Surface canopy						Built-in canopy	
Not dimmable		Dimmable 1-10V		Dimmable DALI		Not dimmable	
Black	White	Black	White	Black	White	White	
3 m / 118.1”							M64PA111
8 m / 315”							M64PA112
	3 m / 118.1”						M64PA113
	8 m / 315”						M64PA114
		3 m / 118.1”					M64PA115
		8 m / 315”					M64PA116
			3 m / 118.1”				M64PA117
			8 m / 315”				M64PA118
				3 m / 118.1”			M64PA115D
				8 m / 315”			M64PA116D
					3 m / 118.1”		M64PA117D
					8 m / 315”		M64PA118D
						3 m / 118.1”	M64PA119
						8 m / 315”	M64PA120

LED capsule with electric black cable

Aluminum lampshade: Glossy reddish orange exterior, matte white interior							Code
Surface canopy						Built-in canopy	
Not dimmable		Dimmable 1-10V		Dimmable DALI		Not dimmable	
Black	White	Black	White	Black	White	White	
3 m / 118.1”							M64PA121
8 m / 315”							M64PA122
	3 m / 118.1”						M64PA123
	8 m / 315”						M64PA124
		3 m / 118.1”					M64PA125
		8 m / 315”					M64PA126
			3 m / 118.1”				M64PA127
			8 m / 315”				M64PA128
				3 m / 118.1”			M64PA125D
				8 m / 315”			M64PA126D
					3 m / 118.1”		M64PA127D
					8 m / 315”		M64PA128D
						3 m / 118.1”	M64PA129
						8 m / 315”	M64PA130

Models / Codes: European Version

CE

(A) M64 Integrated LED

LED capsule with electric black cable

Aluminum lampshade: Glossy british racing green exterior, matte white interior								Code
Surface canopy							Built-in canopy	
Not dimmable		Dimmable 1-10V		Dimmable DALI			Not dimmable	
Black	White	Black	White	Black	White		White	
3 m / 118.1”								M64PA81
8 m / 315”								M64PA82
	3 m / 118.1”							M64PA83
	8 m / 315”							M64PA84
		3 m / 118.1”						M64PA85
		8 m / 315”						M64PA86
			3 m / 118.1”					M64PA87
			8 m / 315”					M64PA88
				3 m / 118.1”				M64PA85D
				8 m / 315”				M64PA86D
					3 m / 118.1”			M64PA87D
					8 m / 315”			M64PA88D
							3 m / 118.1”	M64PA89
							8 m / 315”	M64PA90

LED capsule with electric black cable

Aluminum lampshade: Glossy soft stone exterior, matte white interior								Code
Surface canopy							Built-in canopy	
Not dimmable		Dimmable 1-10V		Dimmable DALI			Not dimmable	
Black	White	Black	White	Black	White		White	
3 m / 118.1”								M64PA101
8 m / 315”								M64PA102
	3 m / 118.1”							M64PA103
	8 m / 315”							M64PA104
		3 m / 118.1”						M64PA105
		8 m / 315”						M64PA106
			3 m / 118.1”					M64PA107
			8 m / 315”					M64PA108
				3 m / 118.1”				M64PA105D
				8 m / 315”				M64PA106D
					3 m / 118.1”			M64PA107D
					8 m / 315”			M64PA108D
							3 m / 118.1”	M64PA109
							8 m / 315”	M64PA110

Models / Codes: European Version

CE

(A) M64 Integrated LED

LED capsule with electric black cable

Aluminum lampshade: Glossy cream yellow exterior, matte white interior							Code
Surface canopy						Built-in canopy	
Not dimmable		Dimmable 1-10V		Dimmable DALI		Not dimmable	
Black	White	Black	White	Black	White	White	
3 m / 118.1”							M64PA71
8 m / 315”							M64PA72
	3 m / 118.1”						M64PA73
	8 m / 315”						M64PA74
		3 m / 118.1”					M64PA75
		8 m / 315”					M64PA76
			3 m / 118.1”				M64PA77
			8 m / 315”				M64PA78
				3 m / 118.1”			M64PA75D
				8 m / 315”			M64PA76D
					3 m / 118.1”		M64PA77D
					8 m / 315”		M64PA78D
						3 m / 118.1”	M64PA79
						8 m / 315”	M64PA80

LED capsule with electric black cable

Aluminum lampshade: Glossy ultramarine blue exterior, matte white interior							Code
Surface canopy						Built-in canopy	
Not dimmable		Dimmable 1-10V		Dimmable DALI		Not dimmable	
Black	White	Black	White	Black	White	White	
3 m / 118.1”							M64PA61
8 m / 315”							M64PA62
	3 m / 118.1”						M64PA63
	8 m / 315”						M64PA64
		3 m / 118.1”					M64PA65
		8 m / 315”					M64PA66
			3 m / 118.1”				M64PA67
			8 m / 315”				M64PA68
				3 m / 118.1”			M64PA65D
				8 m / 315”			M64PA66D
					3 m / 118.1”		M64PA67D
					8 m / 315”		M64PA68D
						3 m / 118.1”	M64PA69
						8 m / 315”	M64PA70


Models / Codes: European Version

(B) M64 LED Bulb


Lampshade	Code
Polished aluminum	M64PB01
Polished brass	M64PB02
Pure red aluminum (glossy exterior, matte white interior)	M64PB07
Off white aluminum (glossy exterior, matte white interior)	M64PB03
Deep black aluminum (glossy exterior, matte white interior)	M64PB09
Reddish orange aluminum (glossy exterior, matte white interior)	M64PB10
British racing green aluminum (glossy exterior, matte white interior)	M64PB06
Soft stone aluminum (glossy exterior, matte white interior)	M64PB08
Cream yellow aluminum (glossy exterior, matte white interior)	M64PB05
Ultramarine blue aluminum (glossy exterior, matte white interior)	M64PB04

Models / Codes: American Version

(A) M64 Integrated LED



(B) M64 LED Bulb



Models / Codes: American Version

(A) M64 Integrated LED

				Polished brass: glossy exterior, matte white interior		
Canopy	LED capsule	Polished aluminium	Polished brass	Pure red	Off white	Deep black
Black	3 m / 118.1”	M64PA25UL	M64PA45UL	M64PA95UL	M64PA55UL	M64PA115UL
	8 m / 315”	M64PA26UL	M64PA46UL	M64PA96UL	M64PA56UL	M64PA116UL
White	3 m / 118.1”	M64PA27UL	M64PA47UL	M64PA97UL	M64PA57UL	M64PA117UL
	8 m / 315”	M64PA28UL	M64PA48UL	M64PA118UL	M64PA128UL	M64PA88UL

		Polished brass: glossy exterior, matte white interior				
Canopy	LED capsule	Reddish orange	British racing green	Soft stone	Cream yellow	Ultramarine blue
Black	3 m / 118.1”	M64PA125UL	M64PA85UL	M64PA105UL	M64PA75UL	M64PA65UL
	8 m / 315”	M64PA126UL	M64PA86UL	M64PA106UL	M64PA76UL	M64PA66UL
White	3 m / 118.1”	M64PA127UL	M64PA87UL	M64PA107UL	M64PA77UL	M64PA67UL
	8 m / 315”	M64PA128UL	M64PA88UL	M64PA108UL	M64PA78UL	M64PA68UL

(B) M64 LED Bulb

Lampshade	Code
Polished aluminum	M64PB01UL
Polished brass	M64PB02UL
Pure red aluminum (glossy exterior, matte white interior)	M64PB07UL
Off white aluminum (glossy exterior, matte white interior)	M64PB03UL
Deep black aluminum (glossy exterior, matte white interior)	M64PB09UL
Reddish orange aluminum (glossy exterior, matte white interior)	M64PB10UL
British racing green aluminum (glossy exterior, matte white interior)	M64PB06UL
Soft stone aluminum (glossy exterior, matte white interior)	M64PB08UL
Cream yellow aluminum (glossy exterior, matte white interior)	M64PB05UL
Ultramarine blue aluminum (glossy exterior, matte white interior)	M64PB04UL

Collection:
Table lamps


M64

Pendant lamps


M64


M68